

## WALLBOX Square Junction Box 95 GRAPHITE


WALLBOX junction boxes are a range of products made of high-thickness aluminum alloy ensure IP40 degree of protection while with IP67 seal.

The system consists of different sizes worked with aesthetic surface treatments of different nature, which give the product typical finishes of industrial products.

### TECHNICAL SPECIFICATIONS





|                       |   |
|-----------------------|---|
| Standard              | IEC/EN 602208<br>IEC/EN 60670-1                           |
| Material              | Aluminum alloy  |
| Treatment             | Aluminum die casting<br>(protective treatment on request) |
| Protection grade IP   | IP40 - IP67   |
| Impact resistance     | IK10  |
| Isolation class       | I   |
| Storage temperature   | -50°C - +90°C   |
| Operating temperature | -40°C - +90°C   |

\*To be drilled by metal milling machine.



### DQ95-Silver

Dimensions (mm)  
92x92x60



## WALLBOX Square Junction Box 125 SILVER


WALLBOX junction boxes are a range of products made of high-thickness aluminum alloy ensure IP40 degree of protection while with IP67 seal.

The system consists of different sizes worked with aesthetic surface treatments of different nature, which give the product typical finishes of industrial products.

### TECHNICAL SPECIFICATIONS


|                       |   |
|-----------------------|---|
| Standard              | IEC/EN 602208<br>IEC/EN 60670-1                           |
| Material              | Aluminum alloy  |
| Treatment             | Aluminum die casting<br>(protective treatment on request) |
| Protection grade IP   | IP40 - IP67   |
| Impact resistance     | IK10  |
| Isolation class       | I   |
| Storage temperature   | -50°C - +90°C   |
| Operating temperature | -40°C - +90°C   |

\*To be drilled by metal milling machine.



### DQ125-Silver

Dimensions (mm)  
125x125x74




## WALLBOX Square Junction Box 155 SILVER

WALLBOX junction boxes are a range of products made of high-thickness aluminum alloy ensure IP40 degree of protection while with IP67 seal.

The system consists of different sizes worked with aesthetic surface treatments of different nature, which give the product typical finishes of industrial products.




### TECHNICAL SPECIFICATIONS

|                       |   |
|-----------------------|---|
| Standard              | IEC/EN 602208<br>IEC/EN 60670-1                           |
| Material              | Aluminum alloy  |
| Treatment             | Aluminum die casting<br>(protective treatment on request) |
| Protection grade IP   | IP40 - IP67   |
| Impact resistance     | IK10  |
| Isolation class       | I   |
| Storage temperature   | -50°C - +90°C   |
| Operating temperature | -40°C - +90°C   |



**DQ155-Silver**

*Dimensions (mm)*  
155 x 155 x 72



\*To be drilled by metal milling machine.