


Luminaire		Measurem.		Lamp				
Code	TRL-20250038	Code	TRL-20250038	Code	Led			
Name	GENUIT Skyne 100cm 24V	Name	GENUIT Skyne 100cm 24V	Number	1			
Line	Eulumdat	Date	04-02-2025	Position				
Luminaire Flux		1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux		1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical
Rectangular Luminaire		Length	100 mm	Width	22 mm	Height	22 mm	
Rectangular Luminous Area		Length	100 mm	Width	22 mm	Height	0 mm	
Horizontal Luminous Area		0.002200 m2		Emitting area on Plane 180°		0.000000 m2		
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2		
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.000532 m2		
Coordinate system		CG	Symmetry Type		Asymmetrical			
Date		04-02-2025	Maximum Gamma Angle		180			
Measurement Distance		0.00	Measurement Flux		1608.29 lm			
Operator		Palazzoli S.p.A. - Mirco Scebba		Source voltage				
Temperature		25.00 °C		Source current				
Humidity		60.00 %		Photocell				
Notes								
Line		Code	Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty	
		Led	Name Led - 18.92 W		1608.29	18.92	1	
C.I.E.		43 73 91 98 100	D DIN 5040		A31			
F UTE		0.98 G + 0.02 T	B NBN		BZ 5			


100mm x 22mm



C Halfplanes

180.0 — 0.0
270.0 — 90.0

ULOR 1.53 %
DLOR 98.47 %
RN 1.53 %



Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	

Luminous Intensity Table cd Table 1/18												
	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 60.00
G 0.0	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35
G 1.0	499.14	499.36	499.73	499.64	499.32	499.52	499.44	499.57	499.55	499.31	499.42	499.57
G 2.0	499.29	498.85	499.31	499.59	499.37	499.32	499.33	499.54	499.40	499.17	499.30	499.27
G 3.0	499.01	498.81	499.50	499.23	499.35	498.98	499.02	499.26	499.23	499.10	499.18	498.85
G 4.0	498.91	498.47	499.55	499.27	499.12	498.70	498.56	498.84	498.75	498.57	498.56	498.40
G 5.0	498.59	498.31	499.17	498.78	498.43	498.18	497.98	498.39	498.08	498.03	497.93	497.73
G 6.0	498.21	498.30	498.70	498.08	497.54	497.34	497.60	497.68	497.46	497.19	497.16	496.99
G 7.0	497.57	497.69	497.98	497.28	496.69	496.98	496.51	496.74	496.52	496.41	496.11	496.13
G 8.0	496.57	496.43	497.05	496.14	495.99	496.03	495.67	495.88	495.43	495.33	495.03	494.91
G 9.0	495.66	495.25	495.95	495.08	494.90	495.12	494.50	494.70	494.56	494.00	493.99	493.35
G 10.0	494.34	494.11	494.50	494.07	493.62	493.73	493.12	493.57	493.00	492.80	492.28	491.84
G 11.0	492.88	492.86	493.06	493.43	492.21	492.31	491.89	491.97	491.62	491.03	490.74	490.00
G 12.0	491.64	491.27	491.63	491.52	491.06	490.70	490.35	490.30	489.86	489.27	489.01	488.70
G 13.0	490.15	489.69	490.01	489.84	489.60	489.21	488.42	488.35	488.39	487.55	487.02	487.00
G 14.0	488.20	487.84	488.03	487.72	487.85	487.26	486.57	486.73	486.14	485.60	484.95	484.68
G 15.0	486.26	485.83	486.04	486.00	485.81	485.01	484.62	484.43	484.12	483.29	482.89	482.32
G 16.0	484.06	483.71	483.99	483.63	483.59	482.90	482.38	482.15	481.61	480.73	480.53	479.30
G 17.0	481.83	481.37	481.78	481.54	481.05	480.55	479.91	479.28	479.32	478.21	477.75	477.42
G 18.0	479.45	478.87	479.40	478.79	478.63	477.77	477.26	476.92	476.51	475.48	475.19	474.61
G 19.0	476.84	476.39	476.62	476.34	476.38	475.49	474.51	474.12	473.85	472.77	472.11	471.65
G 20.0	474.16	473.55	474.06	473.45	473.61	472.61	471.63	471.30	470.87	469.92	469.00	468.87
G 21.0	471.25	471.03	471.29	470.67	470.53	469.55	468.89	468.07	467.93	466.61	466.30	465.11
G 22.0	468.17	467.65	468.45	467.65	467.27	466.55	465.48	465.46	464.53	463.29	462.51	462.07
G 23.0	465.24	464.67	465.12	464.62	464.02	463.57	462.42	461.60	461.16	460.15	459.24	458.21
G 24.0	462.02	461.38	461.41	461.09	460.83	459.74	458.88	458.34	457.76	456.59	455.43	454.53
G 25.0	458.54	457.64	458.55	458.11	457.07	456.52	455.75	454.32	454.26	452.40	451.68	450.75
G 26.0	455.11	454.23	454.94	454.01	453.75	452.59	451.61	450.60	450.46	448.77	447.27	446.68
G 27.0	450.94	450.98	451.07	450.03	449.83	449.13	447.50	447.00	446.55	444.76	443.78	442.84
G 28.0	447.36	446.97	447.44	446.18	446.27	445.11	443.64	443.05	442.02	440.62	439.34	438.28
G 29.0	443.41	443.29	443.16	442.63	441.79	440.96	439.92	438.78	438.19	436.16	435.33	434.09
G 30.0	439.37	438.90	439.33	438.46	437.40	436.62	435.60	434.27	433.83	431.63	430.51	429.17
G 31.0	434.83	434.67	435.04	434.60	433.25	432.32	431.29	429.79	429.39	427.41	426.06	424.69
G 32.0	430.65	430.38	430.75	429.67	429.23	428.16	426.67	424.96	424.63	422.23	421.16	420.04
G 33.0	426.41	425.53	426.32	425.13	424.89	423.44	421.96	420.24	420.32	417.76	416.46	415.08
G 34.0	421.59	421.21	421.15	420.48	420.20	418.67	417.12	415.33	414.77	412.47	410.97	409.88
G 35.0	416.96	416.52	416.90	415.86	415.32	413.74	412.23	410.32	410.25	407.70	406.39	405.09
G 36.0	412.43	411.70	412.05	410.92	410.33	408.80	407.07	405.56	404.26	402.93	401.00	399.69
G 37.0	406.91	406.80	406.85	405.89	405.53	403.63	402.36	400.58	399.41	397.47	395.66	394.27
G 38.0	401.95	401.24	401.56	400.94	399.99	398.47	397.05	394.83	393.70	392.20	389.49	388.90
G 39.0	397.08	396.33	396.83	395.97	395.17	393.55	391.14	389.59	388.19	386.53	384.34	383.38
G 40.0	392.13	391.53	391.30	390.57	389.28	387.75	386.03	383.63	382.63	380.82	378.65	377.46
G 41.0	386.64	386.11	386.18	385.02	384.42	382.80	379.95	378.38	376.80	374.94	373.00	371.61
G 42.0	381.22	380.79	380.67	379.40	378.61	377.18	374.90	372.81	370.95	369.62	367.11	365.74
G 43.0	375.77	375.46	375.32	374.20	373.28	371.35	368.92	366.92	364.91	363.07	360.89	359.45
G 44.0	370.13	369.20	369.71	368.60	367.60	365.65	363.63	360.82	359.21	357.28	354.50	352.55
G 45.0	364.31	364.35	363.95	362.70	361.84	360.21	357.24	355.25	352.67	351.10	348.49	346.64
G 46.0	359.23	358.14	358.64	357.08	355.80	353.89	351.65	349.16	347.17	345.06	341.99	340.00
G 47.0	352.94	352.53	352.27	351.49	350.32	347.94	345.41	342.94	340.81	338.40	335.53	333.51
G 48.0	347.04	346.46	346.28	345.34	344.23	342.23	339.72	336.75	334.31	331.76	329.35	326.67
G 49.0	341.05	341.22	340.59	339.87	337.93	336.14	333.13	330.31	327.80	325.17	322.41	320.11
G 50.0	335.59	335.03	334.49	333.24	331.99	329.83	327.26	323.80	321.33	318.65	315.93	313.22
G 51.0	329.63	328.99	328.23	327.75	325.64	323.97	320.87	317.34	314.70	311.95	309.21	306.38
G 52.0	323.55	322.92	322.89	320.96	320.10	317.14	314.47	311.63	308.67	305.84	302.25	299.34
G 53.0	317.31	317.28	316.74	315.21	313.65	311.68	308.23	305.14	301.21	298.23	295.53	292.60
G 54.0	311.16	310.71	310.51	308.94	307.37	305.31	301.37	298.26	295.18	290.89	288.50	285.49
G 55.0	305.69	304.52	303.80	302.65	300.96	298.61	295.65	291.79	288.21	284.63	280.87	278.47
G 56.0	298.49	298.33	298.16	296.16	294.58	292.74	289.12	285.08	281.63	277.84	274.20	271.36
G 57.0	292.80	292.81	291.88	290.61	288.03	286.17	281.70	278.34	274.60	270.70	266.96	264.17
G 58.0	286.55	286.35	285.58	284.01	281.58	279.08	275.87	271.99	268.15	264.52	259.51	256.89
G 59.0	279.70	279.44	278.65	277.58	275.08	272.94	269.22	265.25	260.96	256.76	252.91	249.60
G 60.0	273.34	273.58	273.03	271.14	269.00	266.36	261.78	258.51	254.37	250.30	245.21	242.81
G 61.0	267.06	267.14	265.89	264.91	262.64	259.81	255.90	251.70	247.35	243.19	238.88	234.61
G 62.0	260.95	261.00	259.69	258.43	255.82	253.11	249.27	245.45	240.58	236.17	230.95	227.05
G 63.0	254.60	254.62	254.05	252.28	249.74	246.53	242.60	238.46	233.65	228.94	224.05	219.74
G 64.0	248.24	247.98	247.78	245.92	243.16	240.03	236.82	232.02	226.23	221.93	216.72	212.46
G 65.0	242.62	241.89	241.43	239.49	236.74	234.01	229.75	225.20	219.68	214.79	209.70	204.97
G 66.0	236.14	236.07	235.24	233.20	230.25	227.49	222.46	218.92	213.00	207.69	202.73	197.54
G 67.0	230.02	229.78	228.45	227.14	223.71	221.16	216.66	211.70	206.82	200.72	195.54	190.49
G 68.0	223.60	223.12	222.20	220.92	217.78	214.55	210.07	205.64	199.43	194.55	188.51	183.14
G 69.0	217.48	217.70	216.05	214.71	211.53	208.36	203.40	198.99	193.51	187.55	181.35	175.72
G 70.0	211.68	211.22	210.08	208.26	205.95	201.97	197.86	192.51	186.33	180.73	174.45	168.55
G 71.0	205.26	205.37	204.57	202.23	199.40	196.08	191.15	185.99	180.33	173.99	167.48	161.47
G 72.0	199.48	199.08	197.72	196.19	193.15	189.47	184.62	179.80	173.34	167.13	160.49	153.87

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
----------------	------------	-----------------	---------	----------	------------	------------	---------

Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	
------------	------------	---------------	-----------	----------	-----------------	-----------------	--

	Luminous Intensity Table cd												Table 2/18
	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 0.0	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35
G 1.0	499.23	499.22	499.14	499.23	499.17	499.33	499.24	499.50	499.45	499.17	499.08	499.05	499.08
G 2.0	499.04	499.14	498.74	498.96	498.98	499.07	498.84	499.03	499.23	498.86	498.70	498.58	498.79
G 3.0	498.55	498.63	498.39	498.47	498.42	498.55	498.26	498.42	498.60	498.39	498.05	498.14	497.96
G 4.0	498.06	498.14	497.83	498.03	497.71	497.87	497.70	497.94	497.79	497.65	497.49	497.36	497.25
G 5.0	497.41	497.45	496.98	497.29	496.93	497.25	496.84	497.39	496.91	496.88	496.49	496.53	496.24
G 6.0	496.44	496.46	495.98	496.21	496.06	496.32	495.82	496.37	496.01	495.75	495.43	495.42	495.33
G 7.0	495.55	495.28	494.83	494.86	494.80	495.24	494.76	495.08	494.68	494.60	494.24	494.33	494.24
G 8.0	494.07	494.08	493.71	493.74	493.66	494.01	493.48	493.72	493.15	493.08	492.67	492.85	492.99
G 9.0	492.77	492.70	492.29	492.20	492.14	492.33	491.91	492.14	491.92	491.76	491.29	491.30	491.14
G 10.0	491.34	491.09	490.51	490.45	490.43	490.43	490.17	490.29	490.00	490.06	489.49	489.52	489.51
G 11.0	489.58	489.22	488.68	488.64	488.49	488.41	488.29	488.58	488.20	488.04	487.49	487.56	487.48
G 12.0	487.89	487.12	486.91	486.64	486.58	486.43	486.44	486.35	486.10	485.97	485.43	485.59	485.27
G 13.0	485.46	485.05	484.70	484.30	484.28	484.32	484.05	483.82	483.67	483.62	483.17	483.24	483.45
G 14.0	483.61	482.98	482.32	482.02	482.11	482.08	481.66	481.75	481.35	481.08	480.56	480.95	480.75
G 15.0	481.10	480.59	479.63	479.57	479.25	479.38	479.13	479.25	478.82	478.61	477.83	478.15	478.45
G 16.0	478.74	477.98	477.02	477.02	476.73	476.70	476.17	476.47	475.83	475.87	475.12	475.39	475.44
G 17.0	475.69	475.17	474.19	474.01	473.77	473.75	473.22	473.56	472.92	473.02	472.45	472.44	472.40
G 18.0	473.14	472.26	471.24	470.97	470.77	470.91	470.37	470.30	469.91	469.69	468.72	469.44	469.70
G 19.0	469.87	469.06	467.89	467.92	467.51	467.54	467.25	466.95	466.76	466.37	466.03	466.06	466.30
G 20.0	466.67	465.80	464.90	464.35	464.34	464.08	463.85	463.59	463.07	462.98	462.51	462.27	463.26
G 21.0	463.22	462.43	461.35	460.79	460.40	460.62	460.12	460.28	459.54	459.68	458.81	459.46	459.67
G 22.0	459.71	459.00	457.61	457.13	456.97	456.52	456.52	456.35	455.64	455.84	455.14	455.32	455.77
G 23.0	456.20	455.27	453.80	453.28	452.98	452.91	452.51	452.44	451.71	451.86	451.19	451.88	452.25
G 24.0	452.20	451.34	449.71	449.21	449.21	448.90	448.41	448.49	448.01	447.97	447.22	447.80	448.02
G 25.0	447.77	447.18	445.51	445.16	444.99	444.67	444.10	444.21	443.80	443.74	443.34	443.80	443.94
G 26.0	444.47	442.92	441.42	440.84	440.86	440.37	439.89	439.46	439.21	439.41	438.39	439.40	440.00
G 27.0	439.33	438.97	438.82	436.27	436.01	435.79	435.03	435.46	434.78	434.81	434.40	434.95	434.99
G 28.0	435.31	434.36	432.57	431.90	431.70	431.24	430.71	430.67	430.09	430.57	429.63	430.35	430.98
G 29.0	430.61	429.28	427.54	427.25	426.97	426.34	425.58	425.76	425.32	425.51	425.01	425.90	426.22
G 30.0	426.06	425.14	423.15	422.51	422.06	421.42	420.80	420.88	420.32	420.31	419.65	420.60	421.38
G 31.0	421.31	419.82	417.79	417.52	417.63	416.37	415.28	416.09	415.45	415.02	415.30	416.21	416.57
G 32.0	415.76	414.91	412.89	412.31	412.15	411.31	410.38	410.48	410.22	410.24	410.15	410.91	410.95
G 33.0	411.17	409.98	407.27	407.13	407.51	406.44	405.16	405.67	404.86	404.94	404.71	405.83	406.44
G 34.0	405.47	404.66	402.32	401.37	401.74	400.87	399.28	400.42	400.02	399.42	398.84	400.22	401.05
G 35.0	400.65	398.90	396.47	396.33	396.31	395.48	393.76	394.43	393.92	394.13	394.05	394.84	395.29
G 36.0	395.22	393.79	391.40	390.00	390.89	389.52	387.96	389.11	388.63	387.96	388.02	389.05	389.70
G 37.0	389.48	387.71	385.53	384.73	385.13	383.75	381.99	382.57	382.83	382.56	382.53	383.33	384.45
G 38.0	383.83	381.79	379.77	379.28	379.37	377.75	376.71	376.94	376.77	376.72	376.07	377.90	378.43
G 39.0	377.56	376.14	373.99	373.06	373.22	372.14	369.95	370.47	370.73	370.81	370.67	371.34	372.35
G 40.0	372.02	370.12	367.73	366.45	366.95	365.66	364.23	364.60	364.51	364.53	363.71	365.89	366.67
G 41.0	366.33	363.40	361.36	360.75	360.70	359.24	357.80	358.12	358.25	357.57	357.99	359.87	359.92
G 42.0	360.11	357.57	355.60	353.76	354.26	352.87	351.28	351.91	351.72	351.54	351.77	353.13	354.08
G 43.0	353.10	351.08	348.37	347.82	347.52	345.95	344.50	344.84	345.13	345.02	345.15	346.97	347.49
G 44.0	347.35	344.56	342.34	340.89	340.88	339.86	337.78	338.69	339.07	338.35	339.06	340.40	340.79
G 45.0	340.49	337.88	335.02	334.72	334.75	333.11	330.91	332.11	332.56	332.01	332.24	333.62	334.72
G 46.0	334.47	331.70	328.80	327.08	327.16	325.79	324.67	324.73	325.56	324.52	325.54	327.54	327.86
G 47.0	327.06	324.13	321.91	320.37	321.03	319.58	317.83	318.13	318.66	317.89	318.77	319.75	321.04
G 48.0	320.74	317.14	314.85	313.36	313.81	311.94	311.02	310.63	311.52	310.53	311.47	313.61	313.91
G 49.0	313.48	310.78	307.77	306.18	305.91	305.17	303.78	304.03	304.13	303.41	304.33	306.55	307.12
G 50.0	307.17	303.09	301.16	298.74	299.15	297.92	296.27	296.31	297.31	296.51	297.18	299.88	299.97
G 51.0	299.79	296.37	293.20	291.93	292.19	290.43	289.19	289.34	289.92	288.81	290.64	291.61	292.67
G 52.0	292.26	289.04	286.44	284.07	284.25	283.17	281.43	281.34	282.29	281.89	282.82	284.22	285.95
G 53.0	284.95	281.57	279.21	276.47	277.07	275.62	274.49	273.58	275.22	274.19	275.30	277.46	278.07
G 54.0	278.26	274.03	271.78	268.97	269.83	267.99	266.73	266.73	267.71	266.38	267.78	270.11	270.97
G 55.0	270.23	266.55	263.28	261.31	261.11	260.74	258.99	258.06	260.00	259.18	260.80	261.72	263.65
G 56.0	262.89	259.34	257.22	253.44	253.68	252.97	251.23	250.57	252.03	250.51	252.48	254.75	256.63
G 57.0	255.41	251.62	247.85	245.97	246.11	245.13	243.02	243.39	244.14	243.42	245.52	247.13	248.44
G 58.0	247.73	244.45	241.01	238.21	238.45	237.00	235.15	234.78	236.20	236.08	238.02	239.73	241.76
G 59.0	240.81	236.59	232.59	229.75	230.07	228.96	227.64	227.05	228.96	227.48	229.96	231.96	234.25
G 60.0	232.97	228.59	225.09	222.20	222.89	220.80	219.54	219.10	220.61	219.38	221.75	224.18	226.74
G 61.0	225.54	220.49	216.59	214.15	214.21	212.66	211.54	210.61	212.42	211.46	215.16	216.84	219.14
G 62.0	217.84	212.70	209.41	205.73	205.88	204.27	203.47	202.55	204.19	203.61	206.59	209.03	212.22
G 63.0	210.07	204.53	201.35	198.08	198.37	196.78	195.68	195.61	195.78	195.41	198.70	201.24	204.69
G 64.0	202.33	196.61	193.34	189.51	189.21	188.51	186.67	186.35	187.53	187.85	190.66	193.86	197.11
G 65.0	194.80	188.48	184.47	181.95	181.59	179.75	179.30	178.69	179.27	179.54	183.21	185.39	189.39
G 66.0	186.53	180.67	177.21	173.15	173.22	171.32	170.03	169.47	170.96	171.76	175.08	178.17	181.85
G 67.0	179.38	173.53	166.88	165.72	164.62	163.62	162.24	162.03	164.22	163.53	166.92	170.86	174.40
G 68.0	170.88	165.47	160.80	156.81	156.29	155.37	153.55	152.88	154.72	155.78	159.10	162.72	167.76
G													

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	

Luminous Intensity Table cd													Table 3/18
	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 0.0	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35
G 1.0	499.17	499.13	499.17	498.93	499.11	499.32	499.17	498.85	499.03	498.91	499.16	498.95	499.77
G 2.0	498.80	498.88	498.84	498.73	498.36	498.90	498.97	498.34	498.75	499.26	498.58	498.28	499.11
G 3.0	498.32	498.14	498.23	497.94	497.86	498.33	498.20	497.55	498.26	498.70	497.98	497.59	498.47
G 4.0	497.42	497.19	497.34	497.24	497.20	497.38	497.36	496.93	497.75	497.96	497.29	496.44	497.78
G 5.0	496.33	496.48	496.60	496.45	496.12	496.49	496.52	496.21	496.85	497.08	496.48	495.93	497.01
G 6.0	495.19	495.28	495.57	495.42	495.36	495.45	495.34	495.31	495.96	496.13	495.86	495.17	495.79
G 7.0	494.01	494.13	494.25	494.38	494.12	494.53	494.20	494.33	494.56	494.97	494.55	494.17	494.68
G 8.0	492.71	492.83	492.97	492.65	492.42	493.09	492.89	492.97	493.32	493.28	493.14	492.84	493.40
G 9.0	490.82	491.28	491.25	491.17	491.08	491.61	491.14	491.37	491.83	491.93	491.67	491.62	491.99
G 10.0	489.56	489.45	489.66	489.41	489.40	489.89	489.69	489.77	489.89	490.32	490.07	489.76	490.15
G 11.0	487.86	487.63	487.73	487.64	487.65	488.25	488.00	487.78	487.92	488.71	488.13	487.98	488.29
G 12.0	485.55	485.45	485.84	485.68	485.41	486.05	485.98	485.97	486.09	486.38	486.15	485.88	486.35
G 13.0	483.36	483.14	483.52	483.49	483.16	483.86	483.59	483.78	484.02	484.67	484.08	483.64	484.01
G 14.0	481.24	481.03	481.21	481.01	480.97	481.50	481.31	481.27	481.46	482.11	481.75	481.31	481.82
G 15.0	478.39	478.05	478.56	478.74	478.59	478.73	478.95	478.87	479.05	479.43	479.31	478.97	479.36
G 16.0	475.89	475.63	475.85	475.68	475.71	476.33	476.41	476.38	476.22	477.08	476.80	476.32	476.83
G 17.0	473.03	472.73	473.00	473.01	472.93	473.63	473.72	473.40	473.65	474.21	474.02	473.94	474.01
G 18.0	469.93	469.69	469.93	469.97	470.18	470.82	470.53	470.73	470.75	471.12	471.14	470.99	471.18
G 19.0	466.56	466.42	466.54	466.73	467.14	467.45	467.47	467.55	467.76	468.29	468.22	467.63	468.11
G 20.0	463.46	463.19	463.42	463.40	464.08	464.47	464.25	464.18	464.64	465.05	464.68	464.58	464.81
G 21.0	460.03	459.32	459.72	460.01	460.54	460.76	460.70	461.30	461.16	461.46	461.27	461.07	461.63
G 22.0	456.26	455.90	456.16	456.41	456.88	457.43	457.23	457.34	457.22	458.32	457.71	457.32	457.76
G 23.0	452.70	451.72	452.70	452.31	453.14	453.77	453.88	453.99	454.02	454.38	454.04	453.88	454.04
G 24.0	448.32	448.03	448.65	448.97	449.31	449.77	449.80	450.37	450.31	450.88	450.25	449.79	450.07
G 25.0	444.24	443.79	444.57	444.62	445.70	445.71	446.05	446.39	446.26	446.85	445.93	446.01	446.57
G 26.0	439.74	439.49	440.32	440.77	441.15	441.66	441.69	442.25	442.09	442.88	442.18	442.00	441.94
G 27.0	435.11	434.82	435.87	436.54	437.37	437.39	437.55	437.98	437.74	438.69	437.81	437.76	438.05
G 28.0	430.56	430.37	431.52	431.92	432.75	433.43	433.01	433.59	433.90	434.40	433.44	433.48	433.23
G 29.0	426.55	425.58	426.80	427.35	428.38	428.68	428.51	429.12	429.20	429.89	428.77	428.56	429.42
G 30.0	421.78	421.21	422.08	422.66	423.57	424.16	423.81	424.24	424.25	425.16	424.23	424.44	424.21
G 31.0	416.79	416.33	417.66	417.89	418.90	419.24	419.54	419.75	420.00	421.06	419.41	419.22	419.81
G 32.0	412.29	411.11	412.26	413.02	414.06	414.34	414.60	414.86	415.18	415.77	414.67	414.29	414.92
G 33.0	406.96	405.85	407.49	408.01	409.28	409.59	410.16	409.80	410.24	411.06	409.92	409.42	409.96
G 34.0	401.07	400.91	402.35	402.18	403.97	404.13	404.62	405.08	405.55	406.21	404.87	404.66	404.71
G 35.0	396.01	395.30	396.94	397.13	398.89	399.23	399.36	400.14	400.27	401.14	399.40	399.44	399.92
G 36.0	390.37	389.63	391.41	392.22	393.04	393.46	394.15	394.89	394.91	395.89	394.73	394.85	394.78
G 37.0	384.76	384.10	385.76	386.68	388.11	388.73	389.19	389.32	390.13	390.57	389.36	388.65	389.53
G 38.0	378.79	378.08	379.94	381.10	382.28	382.53	383.13	384.10	384.36	385.40	383.94	384.30	384.15
G 39.0	372.54	372.40	374.39	375.37	376.06	377.27	378.15	378.96	379.13	380.42	378.73	378.31	378.86
G 40.0	367.09	366.91	368.02	369.61	370.86	371.23	372.53	373.37	373.58	374.85	373.00	372.56	373.00
G 41.0	360.14	360.79	362.67	363.63	364.85	365.70	367.05	368.00	368.16	369.52	367.99	367.54	367.68
G 42.0	354.58	354.41	356.40	357.58	359.06	359.80	361.02	362.23	362.24	363.65	362.20	361.89	361.78
G 43.0	347.81	348.12	350.26	351.48	353.05	354.20	355.22	356.34	357.11	358.19	356.44	355.25	356.68
G 44.0	341.48	341.84	343.50	345.37	347.05	348.19	349.19	350.49	350.76	351.81	350.64	350.16	350.30
G 45.0	334.52	335.45	337.73	339.72	340.84	342.05	344.09	344.37	344.83	346.35	344.36	344.26	344.15
G 46.0	328.20	329.62	331.09	333.28	335.06	336.50	337.52	338.30	339.07	339.88	338.82	338.22	338.84
G 47.0	320.74	322.34	324.82	327.18	328.09	329.81	331.69	331.44	332.85	334.11	333.23	332.23	332.69
G 48.0	314.83	316.25	318.07	320.64	322.20	323.24	325.04	325.88	326.80	327.88	326.53	326.04	326.58
G 49.0	307.57	308.93	312.03	313.74	315.57	317.55	318.95	320.16	321.13	322.16	320.22	320.56	320.43
G 50.0	301.08	302.69	304.80	307.37	309.11	311.17	312.63	313.87	314.27	315.67	314.78	313.68	314.01
G 51.0	293.96	295.87	298.73	300.69	302.56	304.70	305.86	306.92	307.97	309.56	307.77	308.25	307.81
G 52.0	287.28	289.83	291.78	293.73	296.35	298.22	299.71	301.13	302.17	303.82	302.27	301.28	301.70
G 53.0	279.42	281.89	284.91	287.49	289.08	291.70	293.22	294.59	295.76	296.83	295.41	295.75	295.28
G 54.0	272.69	275.50	277.99	280.64	283.04	285.86	287.42	288.20	289.48	291.19	289.65	289.20	288.98
G 55.0	264.85	268.03	271.09	273.91	275.69	278.38	280.32	281.54	282.99	284.58	283.30	282.63	282.65
G 56.0	259.02	261.33	263.97	267.32	269.63	272.52	274.25	275.68	276.57	278.61	276.92	276.29	276.88
G 57.0	251.01	254.01	257.61	259.99	262.63	265.13	267.06	268.56	270.36	271.75	270.44	270.61	270.30
G 58.0	244.31	247.31	250.77	253.51	256.03	259.07	261.01	262.62	263.38	265.61	264.51	263.64	263.90
G 59.0	236.92	239.77	243.43	246.46	249.15	252.55	254.32	255.92	256.84	258.73	258.12	258.15	257.37
G 60.0	229.55	232.93	236.47	239.78	242.32	245.85	247.57	249.54	250.72	252.63	251.74	250.89	250.86
G 61.0	222.23	225.77	229.30	232.58	235.96	238.95	240.99	243.03	244.64	246.44	245.37	244.44	244.78
G 62.0	215.56	218.45	222.65	226.45	228.77	232.36	234.29	236.47	238.18	240.23	238.64	238.11	238.35
G 63.0	207.27	211.18	215.02	218.83	222.70	225.46	228.11	229.79	232.01	233.61	232.41	232.20	231.81
G 64.0	199.97	204.07	208.01	211.68	215.95	219.27	221.51	223.75	225.16	227.11	225.93	225.81	225.71
G 65.0	193.38	197.01	201.44	205.66	208.73	212.15	214.84	216.83	218.95	220.18	219.47	219.49	218.85
G 66.0	185.97	190.39	194.85	198.86	202.26	205.79	208.42	210.50	212.37	214.50	213.03	212.27	213.14
G 67.0	177.86	182.64	187.56	192.01	195.72	199.18	201.88	204.58	205.40	207.74	207.50	206.67	206.36
G 68.0	171.42	176.18	180.62	185.26	188.93	193.02	196.08	198.21	199.51	201.82	201.03	200.07	200.24

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	

Luminous Intensity Table cd													Table 4/18
	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 0.0	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35
G 1.0	499.17	499.15	499.04	499.05	499.21	499.15	499.35	499.22	499.22	499.24	499.29	499.04	499.17
G 2.0	498.83	498.68	498.73	498.53	499.02	498.85	498.90	498.96	499.03	498.87	499.11	498.83	499.05
G 3.0	498.16	498.12	498.05	497.97	498.34	498.21	498.38	498.30	498.36	498.53	498.36	498.40	498.56
G 4.0	497.53	497.46	497.25	497.16	497.90	497.74	497.84	497.81	497.78	497.84	497.71	497.76	498.04
G 5.0	496.63	496.49	496.35	496.31	497.02	497.11	496.75	496.87	496.96	497.04	496.84	496.93	497.35
G 6.0	495.63	495.29	495.58	495.49	496.04	495.95	495.81	495.81	495.91	496.10	495.80	496.16	496.46
G 7.0	494.44	494.34	494.43	494.28	494.82	494.53	494.62	495.01	494.61	495.15	494.74	494.95	495.36
G 8.0	493.21	492.98	493.18	493.07	493.60	493.52	493.13	493.37	493.44	493.80	493.53	493.77	494.10
G 9.0	491.56	491.52	491.65	491.44	491.73	491.94	491.68	491.91	491.64	492.18	491.88	492.10	492.70
G 10.0	489.96	489.74	489.91	489.86	490.47	490.36	489.90	490.25	490.30	490.54	490.25	490.81	490.93
G 11.0	488.14	488.07	488.11	487.96	488.19	488.14	487.86	488.59	488.45	488.50	488.15	488.60	488.87
G 12.0	486.41	485.93	486.21	486.02	486.37	486.57	486.02	486.52	486.25	486.63	485.97	486.84	486.91
G 13.0	483.99	483.83	483.84	483.72	484.12	484.33	483.84	484.38	483.93	484.16	483.87	484.37	484.78
G 14.0	481.79	481.54	481.74	481.43	481.82	481.99	481.46	481.76	481.50	481.80	481.60	482.03	482.07
G 15.0	479.16	479.19	478.73	478.75	479.09	479.38	478.55	479.32	478.90	479.41	478.83	479.30	479.70
G 16.0	476.88	476.46	476.50	476.22	476.37	476.70	476.02	476.44	476.17	476.52	476.18	476.89	477.20
G 17.0	473.81	473.91	473.97	473.29	473.54	473.93	473.23	473.72	473.32	473.46	472.86	473.93	473.98
G 18.0	471.08	470.75	470.77	470.16	470.69	470.89	469.96	470.72	470.00	470.22	470.38	470.64	471.24
G 19.0	467.85	467.70	467.52	467.06	467.55	467.89	467.25	467.31	466.55	467.39	466.62	467.32	467.87
G 20.0	464.80	464.35	464.52	464.07	463.95	464.34	463.60	464.22	463.48	463.74	463.29	464.14	464.11
G 21.0	461.07	460.98	460.79	460.09	460.19	461.22	460.26	460.81	459.98	460.29	459.04	460.61	460.61
G 22.0	457.69	457.40	457.29	456.71	456.79	456.99	456.02	456.69	456.27	456.59	455.66	456.89	456.87
G 23.0	454.00	453.63	453.30	453.02	453.03	453.23	452.61	453.20	452.22	452.67	451.70	452.81	452.81
G 24.0	449.99	449.71	449.35	449.01	448.98	449.67	448.49	449.20	448.04	448.57	447.72	448.95	448.73
G 25.0	446.00	445.61	445.50	445.10	444.61	445.68	444.51	444.76	443.89	444.57	443.57	444.76	444.47
G 26.0	441.69	441.80	441.53	440.68	440.73	441.79	440.05	440.83	439.58	439.87	438.99	440.14	440.07
G 27.0	437.90	437.07	437.48	436.27	436.25	436.95	435.35	436.06	435.48	435.84	434.52	435.56	435.32
G 28.0	433.06	433.02	432.48	432.41	431.76	432.97	431.31	431.76	430.46	431.34	429.67	431.36	430.74
G 29.0	428.50	428.16	427.91	427.38	426.97	427.66	426.11	427.04	426.12	426.51	424.82	426.19	426.06
G 30.0	424.26	423.91	423.38	422.42	422.08	423.32	421.92	422.34	421.41	421.62	420.04	421.35	420.86
G 31.0	419.04	419.07	419.08	417.91	417.17	418.37	417.22	416.66	416.16	416.97	415.36	416.08	415.95
G 32.0	414.16	414.20	413.71	413.06	412.77	413.43	411.88	412.21	411.25	411.41	409.37	410.89	410.54
G 33.0	409.50	409.48	408.91	407.96	407.59	408.09	406.39	406.88	406.39	406.55	404.72	405.47	405.19
G 34.0	404.65	404.25	403.55	402.50	402.17	402.59	401.33	401.49	400.43	400.71	399.12	400.41	399.68
G 35.0	399.03	398.79	398.64	397.14	396.87	397.15	396.09	395.79	395.32	395.77	393.54	394.79	394.32
G 36.0	394.20	393.82	393.03	392.06	391.32	391.87	390.37	390.57	390.08	389.82	387.78	389.17	388.29
G 37.0	388.92	388.78	388.22	386.55	385.75	386.18	385.17	384.40	384.30	384.40	381.35	383.15	382.70
G 38.0	383.29	383.30	382.64	380.83	380.72	380.39	379.36	379.32	378.47	377.92	376.54	377.28	376.52
G 39.0	378.22	378.06	377.05	375.53	374.29	374.60	373.56	372.80	372.45	372.34	370.77	371.09	370.39
G 40.0	372.55	372.25	370.85	369.67	368.74	368.89	367.55	367.43	366.26	366.22	364.15	365.46	364.11
G 41.0	366.41	366.80	365.64	364.20	362.75	362.97	361.44	361.10	360.17	360.15	357.45	358.95	357.81
G 42.0	361.08	361.12	359.98	358.27	357.53	356.84	355.71	354.95	353.61	353.70	351.78	352.45	351.22
G 43.0	355.23	355.27	353.87	352.79	350.52	350.67	349.06	348.48	347.19	347.83	345.01	346.01	344.79
G 44.0	349.16	349.47	347.87	346.67	344.95	344.43	343.07	342.81	340.42	340.67	338.72	339.35	338.22
G 45.0	343.32	343.06	341.81	340.56	338.38	338.07	336.62	335.78	334.68	334.05	332.02	332.64	331.68
G 46.0	337.64	337.04	335.65	334.48	332.59	331.55	329.93	329.72	327.64	328.29	324.91	326.27	324.37
G 47.0	331.04	330.65	329.88	328.27	326.08	325.65	323.35	323.04	320.93	321.01	318.11	318.72	318.14
G 48.0	325.47	325.14	323.93	322.02	319.91	319.26	316.91	316.40	313.94	314.62	311.10	311.48	310.51
G 49.0	319.13	318.79	317.37	315.75	313.46	312.08	309.86	309.70	307.83	306.95	304.63	304.41	303.72
G 50.0	312.91	312.40	310.44	309.28	306.76	306.07	303.91	303.20	299.99	300.47	296.64	298.09	296.04
G 51.0	306.76	306.02	304.85	302.64	300.05	298.56	297.37	295.83	293.15	292.60	289.93	290.70	289.02
G 52.0	301.01	300.52	298.36	296.62	294.34	293.30	289.83	289.82	286.60	285.90	282.64	283.29	281.47
G 53.0	293.95	293.71	291.84	289.60	287.11	285.62	283.48	282.33	278.75	278.05	275.03	275.59	273.96
G 54.0	288.09	287.15	286.05	283.62	280.70	279.01	276.42	275.35	272.37	270.85	267.69	268.14	266.19
G 55.0	281.19	280.77	279.23	276.78	274.00	272.12	269.44	267.93	265.33	263.40	260.06	260.57	258.96
G 56.0	275.29	273.90	272.58	270.13	267.23	265.14	262.41	260.67	258.04	256.32	252.47	252.53	250.65
G 57.0	268.83	267.34	265.81	263.80	260.55	258.29	255.43	253.19	250.57	248.12	244.80	245.57	243.18
G 58.0	262.43	261.71	259.05	256.20	253.62	251.66	248.05	246.22	243.22	241.56	237.28	237.02	235.03
G 59.0	255.79	254.63	253.10	249.63	246.83	244.33	240.95	238.90	235.66	233.96	230.29	228.92	227.48
G 60.0	249.81	248.44	245.95	243.47	239.88	237.58	233.79	231.99	229.05	226.14	222.51	220.65	219.79
G 61.0	242.96	242.01	239.50	237.15	233.84	230.77	226.82	224.52	221.48	218.52	214.74	213.58	210.94
G 62.0	236.87	235.37	233.24	230.56	226.83	224.01	220.24	216.71	212.93	211.38	206.89	204.82	202.79
G 63.0	229.82	229.41	226.51	223.79	220.10	217.01	212.24	209.95	206.31	203.18	199.03	197.57	195.04
G 64.0	224.12	222.38	219.86	217.12	213.26	209.69	205.97	202.94	198.83	196.36	191.17	189.60	187.17
G 65.0	217.23	216.33	213.28	210.55	206.28	203.41	198.23	195.65	191.21	188.28	183.75	181.61	178.52
G 66.0	211.09	209.62	206.68	203.40	199.56	196.54	191.94	188.29	183.81	180.92	175.93	173.46	169.97
G 67.0	204.51	203.12	200.05	197.21	193.58	189.15	184.58	181.29	176.28	173.19	168.47	165.90	161.99
G 68.0	198.24	196.79	193.65	190.75	186.63	182.38	177.81	173.65	168.88	165.98	160.30</		

Luminaire				Measurem.				Lamp							
Code	TRL-20250038			Code	TRL-20250038			Code	Led						
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1						
Line	Eulumdat			Date	04-02-2025			Position							
Luminaire Flux		1608.22 lm		Luminaire Power		18.92 W		Efficacy		85.01 lm/W		Efficiency		100.00%	
Lamps Flux		1608.29 lm		Maximum value		500.56 cd		Position		C=355.00 G=2.00		CG		Asymmetrical	
Luminous Intensity Table cd														Table 5/18	
	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00		
G 0.0	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35	499.35
G 1.0	499.20	499.44	499.14	499.40	499.19	499.58	499.44	499.41	499.20	499.48	499.39	499.42	499.47	499.47	499.47
G 2.0	499.00	499.20	499.03	499.24	499.14	499.53	499.35	499.40	499.15	499.46	499.48	499.51	499.42	499.42	499.42
G 3.0	498.62	498.91	498.59	498.90	498.60	499.07	499.00	499.06	498.65	499.02	499.22	499.19	499.25	499.25	499.25
G 4.0	497.93	498.33	498.05	498.28	498.40	498.73	498.53	498.55	498.55	498.69	498.89	498.86	498.91	498.91	498.91
G 5.0	497.24	497.54	497.30	497.80	497.75	498.00	497.82	497.91	497.86	498.16	498.27	498.12	498.48	498.48	498.48
G 6.0	496.46	496.65	496.38	496.91	496.93	497.22	497.00	496.78	497.03	497.36	497.59	497.53	497.78	497.78	497.78
G 7.0	495.28	495.72	495.51	495.88	495.98	496.18	496.04	496.17	496.06	496.67	496.55	496.72	496.92	496.92	496.92
G 8.0	493.82	494.61	494.23	494.76	494.65	494.95	495.14	495.25	494.89	495.46	495.91	495.63	496.05	496.05	496.05
G 9.0	492.94	493.22	492.87	493.26	493.59	493.54	493.48	493.94	493.90	494.39	494.58	494.62	495.05	495.05	495.05
G 10.0	491.28	491.59	491.30	491.63	491.77	492.13	492.12	492.35	492.56	492.88	493.08	493.07	493.67	493.67	493.67
G 11.0	489.39	489.45	489.48	489.90	490.00	490.28	490.29	490.85	490.77	491.29	491.65	491.82	492.13	492.13	492.13
G 12.0	487.47	487.69	487.59	487.94	488.08	488.55	488.58	488.65	488.92	489.67	489.86	490.22	490.72	490.72	490.72
G 13.0	485.24	485.64	485.38	485.83	486.28	486.23	486.63	487.29	486.96	487.57	488.18	488.31	489.06	489.06	489.06
G 14.0	482.79	483.39	483.05	483.29	483.82	484.46	484.25	484.57	484.63	485.74	485.96	486.28	486.68	486.68	486.68
G 15.0	480.25	480.61	480.47	481.18	481.24	482.06	481.98	482.43	483.11	483.46	483.82	484.09	484.59	484.59	484.59
G 16.0	477.49	478.07	477.82	478.22	478.83	479.64	479.46	479.93	480.43	481.18	481.66	481.55	482.23	482.23	482.23
G 17.0	474.54	475.14	474.81	475.75	475.67	476.09	476.54	477.57	477.98	478.63	479.35	479.02	479.73	479.73	479.73
G 18.0	471.63	471.92	471.89	472.38	472.68	473.40	473.72	474.47	475.18	475.82	476.43	476.38	477.12	477.12	477.12
G 19.0	468.57	469.00	468.61	469.57	469.90	470.22	470.65	471.52	472.15	472.99	473.26	473.64	474.33	474.33	474.33
G 20.0	464.88	465.85	465.42	466.20	466.67	466.89	467.81	468.01	468.99	470.17	470.45	470.68	471.60	471.60	471.60
G 21.0	461.55	461.93	461.81	462.95	463.38	463.51	464.52	465.04	465.61	466.75	467.02	467.38	468.52	468.52	468.52
G 22.0	457.81	458.28	458.18	458.76	460.01	460.01	460.64	461.40	462.35	463.42	463.93	464.07	464.93	464.93	464.93
G 23.0	454.00	453.96	454.61	454.89	455.61	456.20	456.78	457.62	458.88	459.89	460.32	460.58	461.97	461.97	461.97
G 24.0	450.21	450.40	450.02	450.91	451.46	452.04	453.42	453.58	455.11	456.14	456.66	456.91	458.39	458.39	458.39
G 25.0	445.56	445.94	446.07	447.11	447.76	448.33	449.05	449.83	450.86	452.40	452.56	453.24	454.19	454.19	454.19
G 26.0	441.18	441.48	441.69	442.38	443.60	443.87	444.66	445.79	446.77	448.36	448.84	449.02	450.26	450.26	450.26
G 27.0	436.79	437.50	437.12	438.29	438.80	439.35	439.99	441.93	442.72	443.93	444.33	444.90	445.90	445.90	445.90
G 28.0	431.91	432.67	432.47	433.47	434.77	434.95	435.58	436.66	438.28	439.97	440.25	440.86	442.38	442.38	442.38
G 29.0	427.31	427.99	427.67	428.95	429.34	430.05	431.08	432.79	433.95	435.55	436.08	436.63	437.75	437.75	437.75
G 30.0	422.27	423.18	423.09	423.58	424.37	425.59	426.00	427.40	429.08	430.84	431.43	431.33	433.05	433.05	433.05
G 31.0	417.41	418.17	417.53	418.75	419.71	420.28	421.46	423.31	424.18	426.39	426.81	426.39	427.86	427.86	427.86
G 32.0	412.16	412.62	412.70	413.65	413.89	415.46	416.14	417.71	419.39	420.85	421.76	421.97	422.95	422.95	422.95
G 33.0	406.91	407.74	407.44	408.18	409.02	409.53	411.07	412.69	414.06	415.79	416.79	416.97	418.92	418.92	418.92
G 34.0	401.40	402.44	401.34	402.69	403.76	404.75	405.14	407.46	408.77	411.12	411.77	411.57	414.77	414.77	414.77
G 35.0	395.91	396.53	396.38	397.35	398.12	399.25	400.27	402.05	403.48	405.82	406.17	406.44	409.45	409.45	409.45
G 36.0	389.98	391.33	390.36	391.43	392.23	393.98	394.72	396.39	398.55	400.16	400.94	400.65	404.15	404.15	404.15
G 37.0	384.54	384.68	384.47	385.40	386.33	387.65	388.35	390.96	392.54	394.51	395.69	396.06	399.06	399.06	399.06
G 38.0	378.56	379.45	379.15	379.32	380.73	382.31	383.35	384.86	387.24	388.91	389.81	390.67	393.76	393.76	393.76
G 39.0	372.78	373.30	372.21	373.48	374.27	376.13	377.36	379.17	381.19	383.70	383.84	385.22	388.11	388.11	388.11
G 40.0	365.95	366.88	366.05	366.63	368.41	370.55	371.13	373.05	375.58	377.13	377.69	379.58	382.91	382.91	382.91
G 41.0	360.31	360.53	360.38	361.03	362.09	363.69	364.74	366.77	369.19	371.60	372.21	373.61	376.22	376.22	376.22
G 42.0	353.74	353.96	353.45	354.72	356.24	358.03	358.09	360.82	363.57	365.35	365.96	367.80	370.45	370.45	370.45
G 43.0	347.90	348.06	346.77	347.90	349.00	350.75	352.03	354.23	356.93	359.15	360.36	361.36	364.57	364.57	364.57
G 44.0	340.68	340.58	341.09	340.47	342.82	344.69	345.80	347.75	351.10	352.64	353.73	355.22	358.22	358.22	358.22
G 45.0	333.58	333.82	334.28	334.63	335.21	336.80	339.56	341.05	344.03	346.19	347.41	349.38	352.71	352.71	352.71
G 46.0	327.26	326.71	327.40	327.14	328.92	330.80	333.01	334.53	337.82	339.51	340.27	342.30	345.65	345.65	345.65
G 47.0	319.90	320.37	319.87	320.67	321.82	323.89	324.99	327.25	330.81	332.47	334.31	336.39	339.36	339.36	339.36
G 48.0	312.66	313.17	313.50	313.36	315.60	317.52	318.70	321.11	324.58	325.63	327.56	329.73	333.43	333.43	333.43
G 49.0	305.43	305.98	306.36	306.27	307.60	309.89	311.54	314.48	317.66	318.68	321.63	323.20	326.36	326.36	326.36
G 50.0	297.94	298.57	299.06	298.95	301.11	302.86	304.12	307.08	310.95	312.43	313.89	316.45	320.46	320.46	320.46
G 51.0	291.19	291.34	291.65	292.08	293.66	295.72	296.83	300.61	303.06	304.85	307.78	309.69	313.88	313.88	313.88
G 52.0	282.59	283.78	284.24	284.34	286.35	288.15	289.80	292.67	296.75	297.88	300.12	302.89	307.31	307.31	307.31
G 53.0	274.93	276.04	276.76	276.93	278.14	280.42	281.90	285.55	288.63	290.54	293.86	295.96	300.46	300.46	300.46
G 54.0	267.79	268.89	269.98	269.89	271.12	272.96	275.36	278.50	281.96	283.39	286.90	289.4			

Luminaire			Measurem.			Lamp	
Code	TRL-20250038		Code	TRL-20250038		Code	Led
Name	GENUIT Skyne 100cm 24V		Name	GENUIT Skyne 100cm 24V		Number	1
Line	Eulumdat		Date	04-02-2025		Position	

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 6/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 0.0	499.35	499.35	499.35	499.35	499.35	499.35	499.35
G 1.0	499.58	499.40	499.79	499.32	499.37	499.77	499.69
G 2.0	499.32	499.42	499.91	499.48	499.40	499.57	500.56
G 3.0	499.22	499.35	499.94	499.17	499.79	499.59	500.54
G 4.0	499.03	498.75	499.62	499.22	499.59	498.97	500.32
G 5.0	498.49	498.18	498.80	498.76	499.77	498.23	499.79
G 6.0	497.64	497.66	498.59	498.23	499.08	498.40	499.50
G 7.0	497.00	496.92	497.98	498.02	498.06	498.57	499.10
G 8.0	496.26	496.02	497.30	497.20	497.18	497.80	498.04
G 9.0	495.05	494.89	496.43	495.94	495.56	496.70	496.52
G 10.0	493.91	494.10	494.74	494.35	494.76	495.47	495.14
G 11.0	492.54	492.42	493.32	493.26	493.31	494.03	494.10
G 12.0	490.95	491.20	491.72	491.79	491.89	492.20	492.68
G 13.0	489.19	489.80	490.24	490.17	489.97	490.49	491.09
G 14.0	487.34	487.06	488.14	488.23	487.93	488.85	489.30
G 15.0	484.99	485.05	486.25	486.28	486.02	486.80	487.52
G 16.0	482.45	483.12	483.93	484.00	483.45	484.41	485.36
G 17.0	480.15	481.15	481.47	481.70	481.91	482.38	482.75
G 18.0	477.69	478.26	479.31	479.38	480.76	479.67	480.20
G 19.0	475.12	475.72	476.78	476.49	477.33	477.24	477.50
G 20.0	472.24	473.14	474.00	473.42	473.97	474.57	475.17
G 21.0	469.14	469.99	471.12	470.66	470.53	471.52	472.15
G 22.0	465.94	466.54	468.10	467.84	467.91	468.14	469.14
G 23.0	462.46	463.57	464.40	464.90	465.05	465.18	465.60
G 24.0	458.84	460.41	460.99	461.30	461.51	461.63	462.28
G 25.0	455.14	456.40	457.50	457.86	457.93	458.27	459.04
G 26.0	451.25	452.58	453.77	454.25	454.39	454.54	455.15
G 27.0	447.15	447.77	450.19	450.37	450.59	451.11	451.90
G 28.0	443.11	444.23	446.06	446.28	446.69	447.13	447.52
G 29.0	438.48	440.12	442.06	441.53	442.77	442.73	443.29
G 30.0	433.33	435.54	437.39	436.15	437.81	438.11	439.08
G 31.0	429.72	431.61	432.47	432.26	433.66	434.05	434.97
G 32.0	425.75	427.27	428.19	427.86	429.02	428.96	430.87
G 33.0	419.64	422.74	423.18	424.21	424.83	425.05	426.04
G 34.0	415.79	417.20	418.24	418.81	419.79	420.16	421.07
G 35.0	411.15	412.06	413.68	414.77	415.48	415.34	416.47
G 36.0	406.04	406.94	408.69	409.65	409.58	410.35	411.54
G 37.0	400.60	402.11	403.36	404.28	405.51	405.32	406.30
G 38.0	394.99	396.71	398.50	398.42	400.12	400.30	401.66
G 39.0	388.78	391.45	392.92	394.13	394.46	395.17	396.10
G 40.0	383.69	385.86	387.19	388.32	389.19	389.99	390.46
G 41.0	378.11	380.24	381.70	382.66	384.03	384.99	385.92
G 42.0	372.28	374.73	375.76	377.39	378.28	379.43	380.30
G 43.0	366.30	368.72	370.70	371.74	372.73	373.29	374.96
G 44.0	360.22	362.76	363.89	365.93	366.60	368.10	369.22
G 45.0	353.65	356.85	357.98	360.50	361.29	362.45	363.23
G 46.0	348.07	350.76	352.29	354.79	355.04	356.41	357.44
G 47.0	341.97	344.63	346.59	348.91	349.56	350.79	352.05
G 48.0	335.57	338.42	340.56	342.91	343.55	344.78	345.91
G 49.0	329.12	332.46	333.96	336.81	337.94	338.83	339.60
G 50.0	323.42	325.46	328.41	330.48	331.50	332.92	334.23
G 51.0	316.25	319.55	321.59	324.13	325.34	326.78	328.06
G 52.0	310.33	313.19	315.34	318.43	319.03	320.69	321.98
G 53.0	303.56	306.56	309.02	311.63	313.45	314.74	315.65
G 54.0	297.18	299.96	302.68	305.71	306.39	309.00	310.36
G 55.0	290.42	294.12	297.22	298.96	300.41	302.19	303.33
G 56.0	283.92	287.17	290.34	293.15	294.50	296.41	297.93
G 57.0	276.70	280.59	283.74	286.60	288.08	289.64	291.06
G 58.0	270.32	273.89	277.28	280.22	281.79	283.20	284.55
G 59.0	262.97	267.36	270.73	273.58	275.35	277.41	278.98
G 60.0	257.00	260.90	264.45	267.25	268.91	271.03	272.73
G 61.0	250.09	254.18	257.97	260.80	263.13	264.70	265.98
G 62.0	242.65	247.55	251.23	253.87	256.05	258.07	259.84
G 63.0	236.27	241.00	244.71	247.40	249.59	251.88	253.28
G 64.0	229.31	234.50	238.19	241.37	243.85	245.59	247.72
G 65.0	222.54	227.85	231.57	234.89	237.25	239.61	241.34
G 66.0	216.40	221.08	224.71	228.37	230.90	233.23	235.06
G 67.0	208.93	214.69	218.38	221.99	224.58	227.41	228.72
G 68.0	202.31	207.85	212.00	215.56	218.19	221.10	222.44
G 69.0	195.56	201.64	205.77	209.42	211.83	214.63	216.61
G 70.0	189.47	195.26	199.41	202.83	205.50	208.56	209.91
G 71.0	182.89	188.14	192.52	197.29	199.56	202.62	203.74
G 72.0	176.36	182.49	186.49	190.50	193.40	195.97	197.85

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	

Luminous Intensity Table cd Table 7/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G 73.0	192.67	193.11	191.64	189.80	186.91	183.85	178.79	172.85	167.03	160.80	153.57	147.38	140.35
G 74.0	186.88	186.64	185.63	184.21	180.74	177.55	172.47	168.33	160.54	154.40	146.94	140.78	133.31
G 75.0	181.14	180.56	179.46	178.12	174.47	171.25	166.07	159.98	154.21	147.78	140.62	133.80	126.07
G 76.0	175.18	174.46	173.30	171.94	168.89	164.92	159.84	155.08	148.04	141.67	134.60	127.11	119.02
G 77.0	168.86	168.50	167.61	165.54	162.27	158.83	153.63	148.32	141.97	135.67	128.12	120.60	112.98
G 78.0	162.97	162.95	161.49	159.53	157.24	152.89	147.46	142.14	135.63	129.09	121.75	114.02	105.52
G 79.0	157.16	156.64	156.11	154.29	150.19	147.66	141.55	136.04	129.51	123.03	115.44	107.70	99.49
G 80.0	151.85	151.45	150.02	148.09	145.06	141.49	135.79	130.16	124.04	116.88	109.44	101.46	93.55
G 81.0	145.73	145.95	144.73	142.92	139.42	135.81	130.02	124.90	118.20	110.93	102.90	96.02	87.02
G 82.0	140.26	140.37	139.27	137.37	133.88	130.27	124.28	118.81	112.69	105.24	97.12	89.28	81.41
G 83.0	134.89	135.05	134.01	131.47	128.65	124.21	119.47	113.31	107.07	99.75	92.15	83.69	75.72
G 84.0	129.56	130.07	128.67	126.55	123.61	119.49	113.82	108.24	101.81	94.63	86.34	78.52	69.72
G 85.0	124.26	124.38	123.58	121.77	118.32	114.05	108.56	103.08	96.56	89.45	80.99	73.22	64.75
G 86.0	119.24	118.45	117.06	115.27	112.51	108.18	102.87	97.75	90.95	84.16	76.06	68.03	59.05
G 87.0	112.78	113.49	111.82	110.35	106.69	102.92	97.85	92.03	85.33	78.24	70.53	62.75	54.18
G 88.0	108.42	107.72	106.84	104.81	101.12	97.10	92.16	86.66	80.03	73.53	65.57	57.98	49.21
G 89.0	102.93	102.70	101.39	99.46	96.07	92.05	87.20	81.65	75.09	68.31	60.63	52.86	44.87
G 90.0	97.89	97.68	96.13	94.29	90.40	87.05	81.61	76.83	70.33	63.48	56.14	48.43	40.55
G 91.0	92.93	92.60	91.26	89.39	86.11	82.11	77.39	71.50	65.29	58.93	51.68	44.14	36.47
G 92.0	88.27	87.52	86.64	84.28	81.05	77.60	72.43	67.24	61.10	54.59	47.58	39.84	32.63
G 93.0	83.21	82.92	82.04	79.46	76.32	73.04	68.09	62.79	56.64	50.30	43.02	36.15	28.96
G 94.0	78.70	77.99	77.26	75.30	72.06	68.42	63.38	58.36	47.95	43.03	38.02	32.19	25.48
G 95.0	74.20	72.91	70.56	65.38	59.77	55.69	50.86	45.23	39.10	36.25	31.39	25.65	20.19
G 96.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 97.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 98.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 99.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G101.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G102.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G103.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G104.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G105.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G106.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G107.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G108.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G109.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G110.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G111.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G112.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G113.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G114.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G115.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G116.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G117.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G118.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G119.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G120.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G121.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G122.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G123.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G124.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G125.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G126.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G127.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G128.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G129.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G130.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G131.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G132.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G133.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G134.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G135.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G136.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G137.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G138.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G139.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G140.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G141.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G142.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G143.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G144.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G145.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp	
Code	TRL-20250038			Code	TRL-20250038			Code	Led
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1
Line	Eulumdat			Date	04-02-2025			Position	

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	

Luminous Intensity Table cd Table 8/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G 73.0	133.38	126.81	120.90	116.14	114.86	112.78	112.11	112.15	113.75	116.18	121.12	126.00	131.61
G 74.0	126.57	118.59	113.36	108.33	106.81	105.29	103.77	104.03	106.98	109.38	112.88	118.20	124.03
G 75.0	118.62	112.09	105.27	100.21	98.32	96.10	96.03	95.86	98.95	101.20	106.48	111.15	117.72
G 76.0	111.35	104.23	97.73	92.58	90.91	88.79	87.80	87.96	91.30	93.79	99.31	104.61	110.70
G 77.0	104.67	97.48	90.32	84.80	82.35	80.65	80.15	79.70	83.29	86.53	92.18	98.42	104.23
G 78.0	97.53	89.95	83.65	77.39	75.19	72.99	72.28	73.03	76.33	79.15	85.36	91.13	98.05
G 79.0	91.15	82.92	76.42	69.93	67.29	65.20	64.74	64.94	68.22	72.86	79.41	85.15	91.64
G 80.0	85.18	76.23	69.42	63.01	60.03	57.83	57.15	58.01	62.07	66.20	72.06	79.05	85.54
G 81.0	78.16	70.18	62.79	55.97	52.36	49.91	49.32	50.78	55.20	60.20	66.63	72.92	79.81
G 82.0	72.86	64.02	56.36	49.44	45.75	43.71	42.85	44.30	48.75	53.78	59.99	67.27	74.83
G 83.0	67.02	57.90	50.30	43.25	39.09	37.04	36.22	38.01	42.79	47.59	54.52	61.67	68.66
G 84.0	61.31	52.40	44.85	37.21	32.27	30.23	29.73	31.73	37.33	42.46	49.40	56.21	63.79
G 85.0	55.74	47.04	39.46	31.87	26.17	23.20	23.36	26.12	31.14	36.99	44.63	50.91	58.63
G 86.0	50.78	41.88	33.72	26.23	20.63	17.33	17.46	21.14	26.62	32.55	39.42	46.03	53.51
G 87.0	45.99	36.95	29.22	21.72	15.68	11.80	12.41	16.50	21.85	27.86	34.76	41.84	48.93
G 88.0	41.22	32.76	24.92	17.34	11.05	6.82	7.81	12.34	18.03	24.07	30.85	37.47	44.42
G 89.0	36.96	28.40	20.94	13.60	7.51	2.64	4.44	8.80	14.62	20.25	26.69	33.44	40.42
G 90.0	32.51	24.46	17.29	10.26	4.65	0.68	2.03	6.15	11.32	16.93	23.24	29.79	36.57
G 91.0	28.62	20.86	14.05	7.53	2.59	0.41	1.01	4.11	8.75	14.01	19.99	26.28	32.87
G 92.0	24.89	17.72	11.03	5.22	1.57	0.40	0.56	2.63	6.72	11.53	16.92	23.18	29.11
G 93.0	21.71	14.90	8.69	3.84	0.98	0.36	0.40	1.70	4.97	9.29	14.42	20.08	26.08
G 94.0	18.55	12.21	6.81	2.64	0.62	0.34	0.35	1.11	3.78	7.54	12.25	17.49	22.54
G 95.0	14.49	9.43	5.09	1.82	0.39	0.32	0.33	0.70	2.43	5.63	9.32	13.40	17.53
G 96.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 97.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 98.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 99.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G101.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G102.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G103.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G104.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G105.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G106.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G107.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G108.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G109.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G110.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G111.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G112.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G113.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G114.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G115.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G116.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G117.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G118.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G119.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G120.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G121.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G122.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G123.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G124.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G125.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G126.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G127.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G128.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G129.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G130.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G131.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G132.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G133.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G134.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G135.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G136.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G137.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G138.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G139.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G140.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G141.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G142.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G143.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G144.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G145.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 9/18													
	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G 73.0	136.25	141.78	147.80	152.67	156.98	160.65	163.64	166.89	168.41	170.18	169.51	169.29	168.59
G 74.0	129.08	136.14	141.29	146.14	150.59	155.17	158.34	160.69	162.24	164.46	163.72	162.80	162.71
G 75.0	123.27	129.36	134.78	139.86	144.41	148.57	152.06	154.81	156.82	158.73	157.41	157.14	156.79
G 76.0	116.18	123.17	128.57	134.34	138.32	143.04	146.14	149.09	150.91	153.01	151.93	150.63	150.80
G 77.0	110.70	116.75	122.12	128.13	132.18	136.96	140.15	142.97	145.63	146.97	146.05	145.40	144.94
G 78.0	104.03	110.73	116.68	122.24	126.85	131.68	134.90	137.22	139.18	141.34	139.51	139.22	138.95
G 79.0	97.93	104.97	111.32	116.21	120.44	125.28	128.49	131.72	134.00	135.56	134.48	133.99	133.77
G 80.0	92.54	98.70	104.31	110.64	115.44	119.76	123.23	126.65	128.03	130.48	128.86	128.29	128.21
G 81.0	86.24	93.34	98.90	104.96	109.40	114.64	117.83	121.08	123.10	125.03	123.39	122.84	122.83
G 82.0	80.59	87.33	93.90	100.03	104.44	109.47	112.31	115.80	117.87	119.66	117.96	117.48	117.38
G 83.0	75.29	82.07	88.27	94.36	98.75	103.71	107.37	110.63	113.01	114.51	112.89	112.69	112.23
G 84.0	70.47	77.24	83.57	89.59	93.90	98.72	101.82	105.21	107.47	109.33	107.46	107.63	106.80
G 85.0	65.32	72.08	78.24	84.21	89.27	93.62	97.38	100.44	102.59	104.11	102.97	101.94	102.16
G 86.0	60.47	67.42	73.34	79.53	83.96	88.24	91.98	95.33	97.68	99.23	98.11	97.71	96.88
G 87.0	55.58	62.36	68.27	73.81	78.80	83.44	87.56	90.13	92.44	94.13	93.20	92.77	92.23
G 88.0	50.93	57.49	63.55	69.40	74.44	78.68	82.76	85.68	88.01	89.60	88.11	87.79	87.46
G 89.0	46.51	52.99	59.34	65.02	69.53	74.13	77.73	81.03	82.85	84.47	83.49	82.93	82.82
G 90.0	42.56	49.24	54.60	60.25	65.26	69.77	73.38	76.34	78.47	80.11	79.01	78.49	77.83
G 91.0	39.17	45.00	51.03	56.15	61.05	65.51	69.09	72.06	74.07	75.59	74.61	74.12	73.51
G 92.0	35.29	41.43	46.92	52.28	57.21	61.17	65.03	67.97	70.01	71.44	70.42	69.93	69.43
G 93.0	31.72	37.82	43.25	48.58	53.28	57.05	60.76	63.89	65.66	67.05	66.22	65.58	64.97
G 94.0	28.92	31.36	35.37	44.75	49.37	53.32	56.69	59.67	61.67	62.91	61.99	61.52	61.06
G 95.0	21.89	25.55	27.90	33.19	38.65	43.34	49.46	54.74	57.60	58.99	56.94	55.27	53.61
G 96.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 97.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 98.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 99.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G101.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G102.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G103.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G104.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G105.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G106.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G107.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G108.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G109.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G110.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G111.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G112.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G113.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G114.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G115.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G116.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G117.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G118.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G119.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G120.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G121.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G122.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G123.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G124.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G125.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G126.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G127.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G128.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G129.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G130.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G131.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G132.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G133.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G134.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G135.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G136.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G137.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G138.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G139.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G140.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G141.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G142.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G143.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G144.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G145.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp	
Code	TRL-20250038			Code	TRL-20250038			Code	Led
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1
Line	Eulumdat			Date	04-02-2025			Position	

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	

Luminous Intensity Table cd Table 10/18													
	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G 73.0	166.55	164.37	161.96	158.26	153.56	149.50	143.95	139.33	133.37	128.17	122.64	118.53	113.54
G 74.0	160.91	158.86	155.75	152.00	147.57	143.01	137.83	132.64	126.46	121.80	115.01	111.37	106.43
G 75.0	154.79	152.46	149.44	145.84	141.27	137.03	130.92	126.07	119.63	114.74	108.26	103.42	99.02
G 76.0	148.86	146.97	143.32	140.34	135.05	130.08	124.75	119.52	112.66	107.85	100.73	96.88	91.05
G 77.0	142.89	141.28	137.75	133.80	128.69	124.47	118.37	113.17	106.69	101.32	94.51	89.59	83.75
G 78.0	137.03	134.95	131.50	128.52	122.78	118.29	112.97	106.82	99.40	94.59	87.05	82.12	76.39
G 79.0	131.42	129.79	125.74	122.50	117.59	112.65	106.51	100.55	94.01	88.34	81.18	75.67	69.11
G 80.0	126.22	124.33	120.58	116.83	111.57	106.84	100.57	94.65	87.92	81.85	74.77	69.12	62.81
G 81.0	120.71	118.58	114.68	111.27	106.25	101.27	95.00	88.89	81.99	75.86	68.58	62.05	56.36
G 82.0	115.34	113.59	109.77	105.91	101.13	95.73	89.53	83.88	76.38	70.61	62.64	56.56	50.10
G 83.0	110.45	108.21	104.34	100.58	95.63	90.77	84.18	78.35	71.09	64.85	57.13	50.79	44.46
G 84.0	105.12	103.23	99.56	95.74	90.63	85.33	79.15	73.05	66.28	59.20	51.60	45.21	38.62
G 85.0	100.06	98.24	94.45	90.46	85.19	80.25	73.75	67.97	61.10	54.63	46.98	39.81	33.34
G 86.0	95.38	93.15	89.61	85.27	80.83	75.45	69.52	63.29	56.26	49.68	42.36	35.62	28.67
G 87.0	90.19	87.88	84.59	80.56	75.47	70.65	64.33	58.35	51.49	44.96	37.30	31.09	24.28
G 88.0	85.13	83.02	79.96	75.58	70.51	65.70	59.78	53.55	47.21	40.45	33.18	26.81	20.12
G 89.0	80.56	78.36	74.87	71.09	66.37	61.15	55.34	49.32	43.02	36.41	29.47	22.84	16.44
G 90.0	76.13	74.28	70.50	66.72	61.88	56.73	50.88	45.26	38.57	32.45	25.86	19.49	13.37
G 91.0	71.70	69.47	66.16	62.41	57.65	52.78	47.28	41.41	34.90	28.92	22.55	16.44	10.76
G 92.0	67.23	65.05	61.77	58.09	53.78	48.61	43.25	37.88	31.56	25.83	19.30	13.77	8.30
G 93.0	63.25	61.07	57.91	54.23	49.69	44.75	39.47	34.13	28.18	22.60	16.70	11.35	6.60
G 94.0	59.37	56.91	54.11	50.26	45.51	37.06	32.24	28.65	23.95	19.58	14.37	9.31	5.14
G 95.0	50.57	47.63	44.27	40.23	35.49	30.48	27.19	24.41	19.75	15.31	11.02	7.11	3.71
G 96.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 97.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 98.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 99.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G101.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G102.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G103.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G104.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G105.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G106.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G107.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G108.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G109.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G110.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G111.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G112.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G113.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G114.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G115.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G116.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G117.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G118.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G119.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G120.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G121.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G122.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G123.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G124.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G125.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G126.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G127.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G128.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G129.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G130.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G131.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G132.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G133.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G134.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G135.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G136.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G137.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G138.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G139.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G140.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G141.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G142.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G143.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G144.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G145.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG Asymmetrical	

Luminous Intensity Table cd Table 11/18													
	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G 73.0	112.62	111.50	113.18	113.78	116.49	120.14	123.96	130.59	137.70	143.57	150.33	156.50	164.33
G 74.0	104.46	103.82	104.96	105.27	107.86	111.82	116.78	122.93	129.71	136.67	144.03	150.09	158.09
G 75.0	96.42	95.46	96.38	96.45	99.86	103.26	109.14	114.86	122.53	129.38	137.25	143.54	151.77
G 76.0	88.28	87.28	88.78	88.65	92.39	95.18	101.67	108.03	115.53	122.55	130.72	137.71	145.29
G 77.0	81.24	79.16	79.97	80.75	83.71	87.92	94.38	100.36	108.71	115.80	124.17	131.22	138.78
G 78.0	73.00	71.18	72.67	72.60	76.39	80.35	87.12	94.22	102.45	109.52	117.78	124.24	132.34
G 79.0	66.09	63.42	64.17	65.09	68.68	73.82	79.63	87.03	96.00	103.01	111.33	118.55	126.11
G 80.0	58.33	56.25	57.21	57.21	61.24	65.94	73.11	80.63	89.15	97.25	105.12	112.77	120.57
G 81.0	52.20	49.28	49.22	50.04	54.00	59.47	66.39	74.31	83.51	91.13	98.95	106.30	114.01
G 82.0	45.64	41.80	42.71	42.65	46.94	52.88	60.55	68.43	76.94	85.23	92.96	100.54	108.76
G 83.0	39.41	35.28	35.22	36.26	41.25	46.80	54.31	62.51	71.06	78.96	87.88	95.04	102.81
G 84.0	33.15	29.29	28.84	29.84	34.15	40.64	49.01	56.67	65.76	73.68	81.69	89.82	97.73
G 85.0	27.61	22.73	22.33	23.85	28.68	35.36	43.08	51.25	60.40	68.60	76.91	84.49	92.27
G 86.0	22.69	18.04	16.33	18.00	23.53	30.44	38.13	46.58	55.71	63.35	71.89	79.20	87.37
G 87.0	18.53	13.11	10.52	12.87	18.54	25.38	33.28	41.67	50.28	58.43	66.93	74.52	81.65
G 88.0	14.02	8.87	5.80	8.15	14.02	21.07	28.77	36.76	45.37	53.30	61.24	68.71	76.90
G 89.0	10.70	5.73	2.13	4.48	10.56	17.27	24.86	32.56	40.64	48.83	56.47	63.80	71.15
G 90.0	7.97	3.45	0.48	2.25	7.53	13.65	21.10	28.55	36.45	44.44	51.98	59.16	66.44
G 91.0	5.77	1.93	0.37	1.01	5.07	10.91	17.65	24.60	32.49	40.23	47.65	54.74	61.83
G 92.0	4.17	1.07	0.35	0.62	3.36	8.28	14.38	21.39	29.02	36.09	43.35	50.69	57.21
G 93.0	2.87	0.67	0.33	0.40	2.12	6.15	11.87	18.25	25.49	32.27	39.56	46.40	53.47
G 94.0	1.88	0.38	0.29	0.33	1.49	4.75	9.51	15.41	21.92	27.69	33.45	38.08	42.09
G 95.0	1.20	0.30	0.28	0.30	0.98	3.16	7.15	11.80	16.80	22.42	28.15	33.34	34.86
G 96.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 97.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 98.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 99.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G101.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G102.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G103.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G104.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G105.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G106.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G107.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G108.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G109.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G110.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G111.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G112.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G113.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G114.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G115.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G116.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G117.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G118.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G119.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G120.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G121.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G122.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G123.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G124.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G125.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G126.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G127.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G128.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G129.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G130.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G131.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G132.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G133.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G134.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G135.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G136.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G137.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G138.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G139.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G140.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G141.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G142.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G143.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G144.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G145.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire		Measurem.		Lamp	
Code	TRL-20250038	Code	TRL-20250038	Code	Led
Name	GENUIT Skyne 100cm 24V	Name	GENUIT Skyne 100cm 24V	Number	1
Line	Eulumdat	Date	04-02-2025	Position	

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 12/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G 73.0	169.91	175.91	180.13	184.67	186.99	190.30	191.60
G 74.0	163.40	169.40	173.91	178.08	180.75	184.02	185.18
G 75.0	156.98	163.25	167.79	172.28	174.81	177.72	179.02
G 76.0	151.06	156.38	160.88	165.47	168.19	171.67	173.42
G 77.0	144.66	150.73	155.06	159.77	162.68	164.58	166.84
G 78.0	138.63	144.69	148.83	153.77	156.27	159.39	160.79
G 79.0	131.74	138.94	143.17	147.89	150.54	153.69	154.75
G 80.0	126.33	132.64	137.79	142.02	144.66	148.27	149.32
G 81.0	120.45	127.04	131.50	136.42	139.13	142.18	143.67
G 82.0	114.76	121.12	125.79	130.91	133.60	137.10	137.91
G 83.0	109.84	115.84	120.62	125.62	128.30	131.32	132.85
G 84.0	104.32	110.69	115.42	119.91	123.25	126.27	127.61
G 85.0	98.94	105.59	109.73	115.16	118.19	120.89	122.03
G 86.0	93.59	100.24	104.61	109.14	112.16	114.70	116.76
G 87.0	87.58	94.06	98.73	103.47	107.34	110.20	111.22
G 88.0	83.23	89.07	93.74	98.34	100.97	104.19	105.88
G 89.0	77.85	83.49	88.33	92.86	96.00	98.98	100.53
G 90.0	72.90	79.18	83.78	87.96	91.05	94.01	95.39
G 91.0	67.83	73.89	78.48	83.11	86.26	89.12	90.64
G 92.0	63.41	69.61	73.88	78.53	81.68	84.00	85.58
G 93.0	59.35	64.92	69.56	73.72	76.85	79.50	81.22
G 94.0	48.60	60.17	65.17	69.21	72.22	75.07	76.55
G 95.0	40.49	46.50	51.69	56.11	59.53	63.20	66.16
G 96.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 97.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 98.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G 99.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G100.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G101.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G102.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G103.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G104.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G105.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G106.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G107.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G108.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G109.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G110.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G111.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G112.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G113.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G114.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G115.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G116.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G117.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G118.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G119.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G120.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G121.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G122.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G123.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G124.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G125.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G126.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G127.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G128.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G129.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G130.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G131.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G132.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G133.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G134.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G135.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G136.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G137.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G138.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G139.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G140.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G141.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G142.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G143.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G144.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G145.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 13/18

	C 0.00	C 5.00	C 10.00	C 15.00	C 20.00	C 25.00	C 30.00	C 35.00	C 40.00	C 45.00	C 50.00	C 55.00	C 60.00
G146.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G147.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G148.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G149.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G151.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G152.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G153.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G154.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G155.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G156.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G157.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G158.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G159.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G161.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G162.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G163.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G164.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G165.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G166.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G167.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G168.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G169.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G170.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G171.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G172.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G173.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G174.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G175.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G176.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G177.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G178.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G179.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 14/18

	C 65.00	C 70.00	C 75.00	C 80.00	C 85.00	C 90.00	C 95.00	C 100.00	C 105.00	C 110.00	C 115.00	C 120.00	C 125.00
G146.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G147.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G148.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G149.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G151.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G152.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G153.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G154.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G155.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G156.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G157.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G158.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G159.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G161.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G162.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G163.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G164.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G165.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G166.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G167.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G168.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G169.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G170.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G171.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G172.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G173.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G174.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G175.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G176.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G177.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G178.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G179.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 15/18

	C 130.00	C 135.00	C 140.00	C 145.00	C 150.00	C 155.00	C 160.00	C 165.00	C 170.00	C 175.00	C 180.00	C 185.00	C 190.00
G146.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G147.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G148.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G149.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G151.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G152.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G153.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G154.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G155.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G156.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G157.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G158.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G159.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G161.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G162.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G163.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G164.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G165.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G166.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G167.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G168.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G169.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G170.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G171.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G172.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G173.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G174.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G175.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G176.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G177.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G178.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G179.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 16/18

	C 195.00	C 200.00	C 205.00	C 210.00	C 215.00	C 220.00	C 225.00	C 230.00	C 235.00	C 240.00	C 245.00	C 250.00	C 255.00
G146.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G147.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G148.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G149.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G151.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G152.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G153.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G154.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G155.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G156.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G157.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G158.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G159.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G161.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G162.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G163.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G164.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G165.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G166.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G167.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G168.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G169.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G170.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G171.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G172.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G173.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G174.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G175.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G176.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G177.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G178.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G179.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire				Measurem.				Lamp			
Code	TRL-20250038			Code	TRL-20250038			Code	Led		
Name	GENUIT Skyne 100cm 24V			Name	GENUIT Skyne 100cm 24V			Number	1		
Line	Eulumdat			Date	04-02-2025			Position			

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 17/18

	C 260.00	C 265.00	C 270.00	C 275.00	C 280.00	C 285.00	C 290.00	C 295.00	C 300.00	C 305.00	C 310.00	C 315.00	C 320.00
G146.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G147.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G148.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G149.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G151.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G152.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G153.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G154.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G155.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G156.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G157.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G158.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G159.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G161.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G162.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G163.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G164.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G165.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G166.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G167.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G168.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G169.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G170.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G171.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G172.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G173.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G174.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G175.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G176.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G177.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G178.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G179.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Luminaire		Measurem.		Lamp	
Code	TRL-20250038	Code	TRL-20250038	Code	Led
Name	GENUIT Skyne 100cm 24V	Name	GENUIT Skyne 100cm 24V	Number	1
Line	Eulumdat	Date	04-02-2025	Position	

Luminaire Flux	1608.22 lm	Luminaire Power	18.92 W	Efficacy	85.01 lm/W	Efficiency	100.00%
Lamps Flux	1608.29 lm	Maximum value	500.56 cd	Position	C=355.00 G=2.00	CG	Asymmetrical

Luminous Intensity Table cd Table 18/18

	C 325.00	C 330.00	C 335.00	C 340.00	C 345.00	C 350.00	C 355.00
G146.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G147.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G148.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G149.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G151.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G152.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G153.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G154.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G155.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G156.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G157.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G158.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G159.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G161.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G162.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G163.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G164.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G165.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G166.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G167.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G168.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G169.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G170.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G171.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G172.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G173.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G174.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G175.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G176.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G177.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G178.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G179.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
G180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00